



Basketweave Pattern



Alternating Sawtooth Pattern



System At-a-Glance







GEOMETRIX Metal Ceiling Panels lend an entirely new dimension to ceiling design. The geometrically-shaped, 3-D panels can be configured and reconfigured to create varying ceiling planes. Available in multiple profiles and depths, the panels install easily into standard suspension systems, ensuring complete accessibility and maximum design freedom.

Advantages

- Four panel heights create varying geometric statements.
- 600mm x 600mm lay-in panels are compatible with 15mm (and 24mm) profile DONN Brand suspension systems.
- Solid or perforated panels are available in Flat White and Silver Satin for design versatility.

Applications

- All commercial applications

Product Information	Materials	Panels: Aluminum			
	Finishes	The panels are available in solid metal or in a choice of five perforated patterns (C375, D250, D375, C062 and C062A). See your regional USG Ceiling Systems Specialist for details. A black ACOUSTIBOND™ backer ² is included standard on all perforated panels unless otherwise specified.			
	Colors	Standard colors are Flat White and Silver Satin.			
Panels	Size and Weight	Panels: 600mm x 600mm; Panel weight (for 82mm deep flat panel): 3.66 kg/m ² .			
	Configurations	Flat³	Wedge³	Inside Wedge Corner	Outside Wedge Corner
	Depths				
Edge Details	<p>GEOMETRIX Panels with 15mm DOWN Brand CENTRICITEE (DXT) Suspension¹</p> 				
Assembly					

Recycled content
90% recycled content on aluminum panels.

Online Tools (Imperial size)
Available at www.usg.com:
• GEOMETRIX Design Tool
• USG Design Wizard

Footnotes
1. GEOMETRIX panels also available in edge detail to suit 24mm DOWN DX
2. Achieve up to .65 NRC with perforation pattern and ACOUSTIBOND backer.

3. Available pre-engineered utility circles accommodate lighting and utilities.

Safety First!
Follow good safety and industrial hygiene practices during handling and installing of all products and systems. Take necessary precautions and wear the appropriate personal protective equipment as needed. Read material safety data sheets and related

literature on products before specification and/or installation.

Patents
Patents pending